*Weed Research*, 1987, Volume 27, 465–468

# AUTHOR INDEX

ANDERSON, G. W. *See* BLACKSHAW, R. E.
ANDUJAR, J. L. *See* FERNANDEZ-QUINTANILLA, L.
ARJONA-BERRAL, A., MESA-GARCIA, J. and GARCIA-TORRES, L. Phenology and growth of *Orobanche crenata* Forsk. (broomrape) in four legume crops, 349
AUSPURG, B. *See* PESTEMER, W.
AYRES, P. Use of adjuvants to improve control of black-grass (*Alopecurus myosuroides* Huds.) by diclofop-methyl, 195
AYRES, P. G. *See* PAUL, N. D.

BABIKER, A. G. T., HAMDOUN, A. M., RUDWAN, A., MANSI, N. G. and FAKI, H. H. Influence of soil moisture on activity and persistence of the strigol analogue GR 24, 173
BADON, R. *See* BASTIDE, J.
BALLARÉ, C. L., SCOPEL, A. L., GHERSA, C. M. and SÁNCHEZ, R. A. The demography of *Datura ferox* (L.) in soybean crops, 91
BARRALIS, G. and CHADOEUF, R. Potentiel semencier des terres arables, 417
BASKIN, C. C. *See* BASKIN, J. M.
BASKIN, J. M. and BASKIN, C. C. Temperature requirements for after-ripening in buried seeds of four summer annual weeds, 385
BASTIDE, J. and BADON, R. Sélectivité du carbétamide, 361
BEN-GHEDALIA, D. *See* JACOBSOHN, R.
BLACKSHAW, R. E., ANDERSON, G. W. and DEKKER, J. Interference of *Sinapis arvensis* L. and *Chenopodium album* L. in spring rapeseed (*Brassica napus* L.), 207
BOORMAN, L. A. *See* PARR, T. W.
BREEZE, V. G. and WEST, C. J. Long- and short-term effects of vapour of the herbicide 2,4-D butyl on the growth of tomato plants, 13

CABANNE, F., LEFEBVRE, A. and SCALLA, R. Behaviour of the herbicide EL-107 in wheat and rape grown under controlled conditions, 135
CAMPBELL, J. R. and PENNER, D. Retention, absorption, translocation and distribution of sethoxydim in monocotyledonous and dicotyledonous plants, 179
CAMPBELL, M. H. and MURISON, R. D. Effect of sodium 2,2,3,3,-tetrafluoropropionate on the germination, emergence, growth and survival of pasture species, 153
CASELEY, J. C. *See* FIELD, R. J.
CHADOEUF, R. *See* BARRALIS, G.
CHANCELLOR, R. J. *See* FROUD-WILLIAMS, R. J.
CHANDRASENA, J. P. N. R. and SAGAR, G. R. Effect of fluazifop-butyl on the chlorophyll content, fluorescence and chloroplast ultrastructure of *Elymus repens* (L.) Gould. leaves, 103
CHEN, F. S. C. *See* YEUNG, E. C.
CHINNAPPA, C. C. *See* YEUNG, E. C.
CLAIR, D. *See* LEFEBVRE, A.
COSTE, C. M. *See* SABADIE, J.
COUPLAND, D. Influence of environmental factors on the performance of sethoxydim against *Elymus repens* (L.), 329

DE AGAZIO, M. *See* GIARDINA, M. C.
DEKKER, J. *See* BLACKSHAW, R. E.

ELEFTHEROHORINOS, I. G. Phytotoxicity and persistence of chlorsulfuron as affected by activated charcoal, 443
EL HIWERIS, S. O. Nature of resistance to *Striga hermonthica* (Del.) Benth. parasitism in some *Sorghum vulgare* (Pers.) cultivars, 305

ERASMUS, D. J. and STADEN, J. VAN. Germination of *Chromolaena odorata* (L.) K. & R. achenes: effect of storage, harvest locality and the pericarp, 113

FAKI, H. H. *See* BABIKER, A. G. T.
FEDTKE, C. Physiological activity spectra of existing graminicides and the new herbicide 2-(2-benzothiazolyl-oxy)-*N*-methyl-*N*-phenylacetamide (mefenacet), 221
FERNANDEZ-QUINTANILLA, C., NAVARRETTE, L., TORNER, C. and ANDUJAR, J. L. Influence of herbicide treatments on the population dynamics of *Avena sterilis* ssp. *ludoviciana* (Durieu) Nyman in winter wheat crops, 375
FERRIS, R. *See* FROUD-WILLIAMS, R. J.
FIELD, R. J. and CASELEY, J. C. Abscisic acid as a protectant of *Avena fatua* L. against diclofop-methyl activity, 237
FIELD, R. J. *See* MARTIN, M. P. L. D.
FORCELLA, F. Herbicide-resistant crops: yield penalties and weed thresholds for oilseed rape (*Brassica napus* L.), 31
FROUD-WILLIAMS, R. J. and CHANCELLOR, R. J. A survey of weeds of oilseed rape in central southern England, 187
FROUD-WILLIAMS, R. J. and FERRIS, R. Germination of proximal and distal seeds of *Poa trivialis* L. from contrasting habitats, 245
FOY, C. L. *See* MERSIE, W.

GARCIA-TORRES, J. *See* ARJONA-BERRAL, A.
GAUDRY, J. C. *See* LEFEBVRE, A.
GAWRONSKI, S. W., HADERLIE, L. C. and STARK, J. C. Metribuzin metabolism as the basis for tolerance in barley (*Hordeum vulgare* L.), 49
GHERSA, C. M. *See* BALLARÉ, C. L.
GIARDINA, M. C., DE AGAZIO, M. and GREGO, S. Lack of prevention of chlorsulfuron-induced inhibition by amino acids, 215
GREGO, S. *See* GIARDINA, M. C.

HADERLIE, L. C. *See* GAWRONSKI, S. W.
HAMDOUN, A. M. *See* BABIKER, A. G. T.
HATZIOS, K. K. *See* HENRY, W. T.
HELWEG, A. Degradation and adsorption of $^{14}$C-MCPA in soil—influence of concentration, temperature and moisture content on degradation, 287
HENRY, W. T. and HATZIOS, K. K. Comparative effects of three isoxazole-urea herbicidal derivatives on the metabolism of enzymatically isolated soybean leaf cells, 23
HILLIER, G. R. *See* TOTH, J.
HSIAO, A. I., WORSHAM, A. D. and MORELAND, D. E. Effects of drying and *dl*-strigol on seed conditioning and germination of *Striga asiatica* (L.) Kuntze, 321
HSIAO, A. I. *See* HUANG, W. Z.
HSIAO, A. I. *See* MORTENSEN, K.
HUANG, W. Z. and HSIAO, A. I. Factors affecting seed dormancy and germination of Johnsongrass, *Sorghum halepense* (L.) Pers., 1
HUANG, W. Z. and HSIAO, A. I. Factors affecting seed dormancy and germination of *Paspalum distichum*, 405
HUANG, W. Z., HSIAO, A. I. and JORDAN, L. Effects of temperature, light and certain growth regulating substances on sprouting, rooting and growth of single-node rhizome and shoot segments of *Paspalum distichum* L., 57

JACOBSOHN, R., BEN-GHEDALIA, D. and MARTON, K. Effects of the animal's digestive system on the infectivity of *Orobanche* seeds, 87
JORDAN, L. *See* HUANG, W. Z.

KALDOR, C. J. *See* TOTH, J.
KUDSK, P., THONKE, K. E. and STREIBIG, J. C. Method for assessing the influence of additives on the effect of foliar-applied herbicides, 425

LEFEBVRE, A., MAIZONNIER, D., GAUDRY, J. C., CLAIR, D. and SCALLA, R. Some effects of the herbicide EL-107 on cellular growth and metabolism, 125
LEFEBVRE, A. *See* CABANNE, F.
LEYS, A. R. and SLIFE, F. W. Comparison of chlorsulfron and metsulfron for control of *Allium vineale* L., 35

MAIZONNIER, D. *See* LEFEBVRE, A.
MALIK, N. and VANDEN BORN, W. H. Germination response of *Galium spurium* L. to light, 251
MANSI, N. G. *See* BABIKER, A. G. T.
MARRS, R. H. *See* PARR, T. W.
MARTIN, M. P. L. D. and FIELD, R. J. Competition between vegetative plants of wild oat (*Avena fatua* L.) and wheat (*Triticum aestivum* L.), 119
MARTON, K. *See* JACOBSOHN, R.
MERSIE, W. and FOY, C. L. Phytotoxicity, absorption and metabolism of chlorsulfuron in monoploid callus of potato (*Solanum phureia*), 453
MESA-GARCIA, J. *See* ARJONA-BERRAL, A.
MILHAM, P. J. *See* TOTH, J.
MORELAND, D. E. *See* HSIAO, A. I.
MORTENSEN, K. and HSIAO, A. I. Fungal infestation of seeds from seven populations of wild oats (*Avena fatua* L.) with different dormancy and viability characteristics, 297
MOSS, S. R. Influence of tillage, straw disposal system and seed return on the population dynamics of *Alopecurus myosuroides* Huds. in winter wheat, 313
MURISON, R. D. *See* CAMPBELL, M. H.

NAVARRETTE, L. *See* FERNANDEZ-QUINTANILLA, L.

PALLETT, K. E. *See* SANDERS, G. E.
PARR, T. W., MARRS, R. H., BOORMAN, L. A. and PLANT, R. A. Comparison of root- and shoot-acting growth retardants on a grass/clover sward, 69
PAUL, N. D. and AYRES, P. G. Effects of rust infection of *Senecio vulgaris* on competition with lettuce, 431
PENNER, D. *See* CAMPBELL, J. R.
PESTEMER, W. and AUSPURG, B. Prognose-Modell zur Erfassung des Rückstandsverhaltens von Metribuzin und Methabenzthiazuron im Boden und deren Auswirkungen auf Folgekulturen, 275
PLANT, R. A. *See* PARR, T. W.

RAMAKRISHNAN, P. S. *See* SWAMY, P. S.
RUDWAN, A. *See* BABIKER, A. G. T.

SABADIE, J. and COSTE, C. M. Dégradation catalytique de carbamates herbicides déposés sur bentonites homoioniques. V. Cas du CEPC, 167
SAGAR, G. R. *See* CHANDRASENA, J. P. N. R.
SÁNCHEZ, R. A. *See* BALLARÉ, C. L.
SANDERS, G. E. and PALLETT, K. E. Comparison of the uptake, movement and metabolism of fluroxypyr in *Stellaria media* and *Viola arvensis*, 159
SCALLA, R. *See* CABANNE, F.
SCALLA, R. *See* LEFEBVRE, A.
SCHEEPENS, P. C. Joint action of *Cochliobolus lunatus* and atrazine on *Echinochloa crus-galli* (L.) Beauv., 43

SCOPEL, A. L. *See* BALLARÉ, C. L.
SLIFE, F. W. *See* LEYS, A. R.
STADEN, J. VAN *See* ERASMUS, D. J.
STARK, J. C. *See* GAWRONSKI, S. W.
STREIBIG, J. C. Joint action of root-absorbed mixtures of auxin herbicides in *Sinapis alba* L. and barley (*Hordeum vulgare* L.), 337
STREIBIG, J. C. *See* KUDSK, P.
SWAMY, P. S. and RAMAKRISHNAN, P. S. Effect of fire on population dynamics of *Mikania micrantha* H.B.K. during early succession after slash-and-burn agriculture (jhum) in northeastern India, 397

THONKE, K. E. *See* KUDSK, P.
TORNER, C. *See* FERNANDEZ-QUINTANILLA, L.
TOTH, J., MILHAM, P. J., HILLIER, G. R. and KALDOR, C. J. Use of activated carbon to protect tomato against metribuzin, 367
TRIPATHI, R. S. and YADAV, A. S. Population dynamics of *Eupatorium adenophorum* Spreng. and *Eupatorium riparium* Regel in relation to burning, 229

VANDEN BORN, W. H. *See* MALIK, N.

WALKER, A. Evaluation of a simulation model for prediction of herbicide movement and persistence in soil, 143
WATT, T. A. Establishment and growth of *Senecio jacobeae* L. and *Senecio erucifolius* L. in grassland, 259
WATT, T. A. Establishment of *Senecio jacobaea* L. from seed in grassland and in boxed swards, 267
WEST, C. J. *See* BREEZE, V. G.
WORSHAM, A. D. *See* HSIAO, A. I.
WULFF, R. D. Growth responses of soybean (*Glycine max*) and sorghum (*Sorghum bicolor*) to an increase in density of *Amaranthus dubius* (L.) plants at two temperatures, 79

YADAV, A. S. *See* TRIPATHI, R. S.
YEUNG, E. C., CHINNAPPA, C. C. and CHEN, F. S. C. Seed detachment in *Avena fatua* L., 391